
Installation/Upgrade/Removal of Predicate UI Release

Installation/Upgrade

0. Obtain the default `values-predicate-ui.yaml` from the chart:

```
export CHART_NAME=  
export CHART_VERSION=  
helm show values $CHART_NAME --version $CHART_VERSION >> values-predicate-  
ui.yaml
```

1. Edit the `values-predicate-ui.yaml` file

- Specify the current image repository - `service.image.repository` and image tag - `service.image.tag`;
- Specify the current `service.ingress.host` and `service.ingress.baseDomain`;
- Specify the current environment variables `service.secrets.data`, which are described in the section [Environment Variables](#); at a minimum, you need to override the following variables in `values-predicate-ui.yaml`:
 - `KEYCLOAK_URL`
 - `KEYCLOAK_REALM`
 - `KEYCLOAK_CLIENT_ID`

2. Run the command

```
helm upgrade \  
--namespace=<namespace> \  
--install \  
--atomic \  
--values values-predicate-ui.yaml \  
<releasename> <path to chart>
```

where `namespace` is the k8s namespace in which the release is installed, `releasename` is the name of the release, `path to chart` is the path to the chart folder or archive

Removal

To remove the chart, run the command:

```
helm delete --namespace=<namespace> <releasename>
```



where `namespace` is the k8s namespace in which the release is installed, `releasename` is the name of the release,

i Important

To completely remove the release, you must run the command `helm delete --namespace=<namespace> <releasename> --purge`.